according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT 3G8** 

11260

Version / Revision8.01Revision Date27-Jan-2023Supersedes Version8.00\*\*\*Issuing date27-Jan-2023

SECTION 1: Identification of the substance / mixture and of the company / undertaking

#### 1.1. Product identifier

Identification of the substance/preparation OXSOFT 3G8

Chemical Name Triethylenglycol-di-(2-ethylhexanoate) 2,2'-Ethylenedioxydiethyl

bis(2-ethylhexanoate)

**CAS-No** 94-28-0 **EC No.** 202-319-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses plasticizer

Anti-set off and adhesive agents

Uses advised against None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

**OQ Chemicals GmbH** Rheinpromenade 4A D-40789 Monheim

Germany

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

**Emergency telephone number** +44 (0) 1235 239 670 (UK)

available 24/7

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Based on present data no classification and labelling is required according to Directive 1272/2008/EC and its amendments (CLP Regulation)

#### 2.2. Label elements

Not required.

### 2.3. Other hazards

None known

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT 3G8** 

**11260 Version / Revision** 8.01

PBT and vPvB assessment This substance is not considered to be persistent, bioaccumulating nor toxic

(PBT), nor very persistent nor very bioaccumulating (vPvB)

**Endocrine disrupting** 

assessments

The substance is not listed on the candidate list according to Art. 59(1), REACh. The substance was not assessed as having endocrine disrupting properties

according to regulation 2017/2100/EU or 2018/605/EU.

# SECTION 3: Composition / information on ingredients

### 3.1. Substances

Component	CAS-No	1272/2008/EC	Concentration (%)
2,2'-Ethylenedioxydiethyl	94-28-0	-	> 97
bis(2-ethylhexanoate)			

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

#### Skir

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

#### **Eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

#### Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### Main symptoms

None known.

#### Special hazard

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically.

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO2), water spray

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



OXSOFT 3G8 11260

Version / Revision

8.01

#### **Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons Vapours are heavier than air and may spread along floors

### 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

#### **Precautions for firefighting**

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

### 6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

### 6.3. Methods and material for containment and cleaning up

#### **Methods for containment**

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

### Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

#### 6.4. Reference to other sections

For personal protective equipment see section 8.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT 3G8** 11260

**Version / Revision** 

8.01

Provide sufficient air exchange and/or exhaust in work rooms.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

#### Advice on the protection of the environment

See Section 8: Environmental exposure controls.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

### **Technical measures/Storage conditions**

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

#### Unsuitable material

None known

#### **Temperature class**

T2

### 7.3. Specific end use(s)

plasticizer

Anti-set off and adhesive agents

# SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters

### **Exposure limits European Union**

No exposure limits established

### **Exposure limits UK**

No exposure limits established.

#### **DNEL & PNEC**

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0 **Workers**

DN(M)EL - long-term exposure - systemic effects - Inhalation

DN(M)EL - acute / short-term exposure - systemic effects - Inhalation

DN(M)EL - long-term exposure - local effects - Inhalation

DN(M)EL - acute / short-term exposure - local effects - Inhalation

DN(M)EL - long-term exposure - systemic effects - Dermal

DN(M)EL - acute / short-term exposure - systemic effects - Dermal

DN(M)EL - long-term exposure - local effects - Dermal

27.9 mg/m<sup>3</sup>

No hazard identified

167.4 ma/m<sup>3</sup>

No hazard identified 5 mg/kg bw/day No hazard identified

No hazard identified

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



### **OXSOFT 3G8**

**11260 Version / Revision** 8.01

DN(M)EL - acute / short-term exposure - local effects - Dermal

DN(M)EL - local effects - eyes

No hazard identified

#### General population

DN(M)EL - long-term exposure - systemic effects - Inhalation

DN(M)EL - acute / short-term exposure - systemic effects - Inhalation

DN(M)EL - long-term exposure - local effects - Inhalation

DN(M)EL - acute / short-term exposure - local effects - Inhalation

DN(M)EL - long-term exposure - systemic effects - Dermal

DN(M)EL - acute / short-term exposure - systemic effects - Dermal

DN(M)EL - long-term exposure - local effects - Dermal

8,33 mg/m<sup>3</sup> No hazard identified 50 mg/m<sup>3</sup>

No hazard identified

3 mg/kg bw/day No hazard identified

No-threshold effect and/or no

dose-response information

available

DN(M)EL - acute / short-term exposure - local effects - Dermal

DN(M)EL - long-term exposure - systemic effects - Oral

DN(M)EL - acute / short-term exposure - systemic effects - Oral

DN(M)EL - local effects - eyes

No hazard identified 3 mg/kg bw/day No hazard identified

No hazard identified

#### **Environment**

PNEC aqua - freshwater

PNEC aqua - marine water

PNEC agua - intermittent releases

**PNEC STP** 

PNEC sediment - freshwater

**PNEC** sediment - marine water

PNEC Air

**PNEC** soil

Secondary poisoning

0,039 mg/l 0,004 mg/l 0,387 mg/l

1,94 g/l 88,78 mg/kg dw

8,88 mg/kg dw No hazard identified

17,7 mg/kg

No potential to cause toxic effects

if accumulated (in higher organisms) via the food chain

#### 8.2. Exposure controls

#### Special adaptations (REACh)

Not applicable.

#### **Appropriate Engineering controls**

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

#### Personal protective equipment

### General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

### Eye protection

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



#### **OXSOFT 3G8**

**11260 Version / Revision** 8.01

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Equipment should conform to EN 166

#### **Hand protection**

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material nitrile rubber

**Reference substance** Di-(2-ethylhexyl)-phthalate according to EN 374: level 6

Glove thickness approx 0,55 mm Break through time > 480 min

Suitable materialpolyvinylchloride / nitrile rubberReference substanceDi-(2-ethylhexyl)-phthalateEvaluationaccording to EN 374: level 6

Glove thickness approx 0,9 mm Break through time > 480 min

#### Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

#### **Environmental exposure controls**

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

#### **Additional advice**

Further details on substance data can be found in the registration dossier under the following link: http://echa.europa.eu/information-on-chemicals/registered-substances.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical stateliquidColourcolourlessOdourfruity mild

Odour threshold
Melting point/freezing point
Method

No data available
-70 °C (Pour point)
DIN ISO 3016

Boiling point or initial boiling 340 - 351 °C @ 1013 hPa

point and boiling range

Method DIN 53171

Flammability Even if not classified as flammable, the product is capable of catching fire or

being set on fire.\*\*\*

Lower explosion limit0,46 Vol %Upper explosion limitNo data availableFlash point196 °C @ 1013 hPa

Method ISO 2719

Autoignition temperature 365 °C @ 1027 hPa

Method DIN 51794

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT 3G8** 

**11260 Version / Revision** 8.01

Decomposition temperature PH No data available No data available No data available No data available 16,960 mm²/s @ 20 °C

Method DIN 51562, ASTM D445

**Solubility** 1,53 mg/l @ 20 °C, in water, OECD 105

Partition coefficient 6,1 (measured) OECD 117

n-octanol/water (log value)

Vapour pressure

Values [hPa] Values [kPa] Values [atm] @ °C @ °F Method < 0,001 < 0,001 < 0,001 25 77 EU A.4

Density and/or relative density

Values @ °C @ °F Method 0,967 20 68 DIN 51757

**Relative vapour density**No data available
Particle characteristics
not applicable

#### 9.2. Other information

**Explosive properties**Does not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

 Molecular weight
 402,56

 Molecular formula
 C22 H42 O6

 log Koc
 4,36 OECD 121

 Conductivity
 0,68 µS/m @ 20 °C

 Refractive index
 1,444 @ 20 °C

**Surface tension** 45,8 mN/m (1,375 mg/l @ 20°C), OECD 115

**Evaporation rate** No data available

### SECTION 10: Stability and Reactivity

### 10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

#### 10.2. Chemical stability

Stable under recommended storage conditions. Thermal decomposition can take place above 250°C.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

7 / 13 Great Britain (E-GB) /EN

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT 3G8** 

**11260 Version / Revision** 8.01

No decomposition if stored and applied as directed.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Likely routes of exposure Ingestion, Eye contact, Skin contact

Acute toxicity				
2,2'-Ethylenedioxydiethy	l bis(2-ethylhexanoa	te) (94-28-0)		
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	> 2000 mg/kg	rat, female	OECD 420
Dermal	LD50	> 2000 mg/kg	rat, male/female	OECD 402
Inhalative	LC50	> 2000 mg/m³ (4h)	rat, male	OECD 403

#### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

#### **Assessment**

Based on available data, the classification criteria are not met for:

Acute oral toxicity

Acute dermal toxicity

Acute inhalation toxicity

STOT SE

Irritation and corrosion				
2,2'-Ethylenedioxydiethy	bis(2-ethylhexanoat	te) (94-28-0)		
Target Organ Effects	Species	Result	Method	
Skin	rabbit	Mild skin irritation	OECD 404	4h
Eyes	rabbit	Mild eye irritation	OECD 405	

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

#### **Assessment**

Based on available data, the classification criteria are not met for:

skin irritation/corrosion

eye irritation/corrosion

For respiratory irritation, no data are available

Sensitization				
2,2'-Ethylenedioxydieth	yl bis(2-ethylhex	anoate) (94-28-0)		
Target Organ Effects	Species	Evaluation	Method	
Skin	mouse	not sensitizing	OECD 429	in vivo
Skin	guinea pig	not sensitizing	OECD 406	in vivo

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

#### **Assessment**

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity				
2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)				
Туре	Dose	Species	Method	
Subacute toxicity	NOAEL: 5000 ppm	rat, male/female	OECD 422	Oral
Subacute toxicity	NOAEC: 1000	rat, male	OECD 403	Inhalation
	mg/m³ (14 d)			

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **OXSOFT 3G8**

**11260 Version / Revision** 8.01

Subchronic toxicity	NOAEL: 120 mg/kg/d (90d)	rat, female	OECD 408	Oral	

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

#### **Assessment**

Based on available data, the classification criteria are not met for: STOT RE

Carcinogenicity, Muta	genicity, Reprod	uctive toxicity			
2,2'-Ethylenedioxydiet	hyl bis(2-ethylhe	xanoate) (94-28-	0)		
Туре	Dose	Species	Evaluation	Method	
Mutagenicity		Salmonella typhimurium Escherichia coli	negative	OECD 471 (Ames)	In vitro study
Mutagenicity		mouse lymphoma cells	negative	OECD 476 (Mammalian Gene Mutation)	In vitro study
Mutagenicity		human lymphocytes	negative	OECD 473 (Chromosomal Aberration)	In vitro study
Reproductive toxicity	NOAEL: 5000 ppm	rat, parental male/female		OECD 422, Oral	
Reproductive toxicity	NOAEL: 15000 ppm	rat, 1. Generation, male/female		OECD 422, Oral	
Developmental Toxicity	NOAEL 300 mg/kg/d	rat	Maternal toxicity	OECD 414, Oral	
Developmental Toxicity	NOAEL 300 mg/kg/d	rat	Developmental toxicity Fetal toxicity	OECD 414, Oral	
Reproductive toxicity	NOAEL 250 mg/kg/d	rat, parental male/female		OECD 443 Oral	
Reproductive toxicity	NOAEL >= 750 mg/kg/d	rat, 1. Generation, male/female rat 2. Generation, male/female		OECD 443 Oral	Reproduction / developmental Toxicity
Carcinogenicity	No data available				

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

### **CMR Classification**

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

#### **Evaluation**

In vitro tests did not show mutagenic effects

Animal testing did not show any effects on fertility

No developmental effects in the absence of maternal toxicity

No cancer study was conducted

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

### **Target Organ Systemic Toxicant - Single exposure**

Based on available data, the classification criteria are not met for: STOT SE

#### **Target Organ Systemic Toxicant - Repeated exposure**

Based on available data, the classification criteria are not met for:

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT 3G8** 

**11260 Version / Revision** 8.01

STOT RE
Aspiration toxicity
no data available

#### 11.2. Information on other hazards

### **Endocrine disrupting properties**

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3. **Note** 

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

# SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity					
2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)					
Species	Exposure time	Dose	Method		
Pimephales promelas (fathead minnow)	96h	LC50: > 97 mg/l			
Danio rerio (Zebra fish)	96h	LC0: > 78 mg/l	84/449/EEC C.1		
Daphnia magna (Water flea)	96h	EC50: > 97 mg/l	Mobility		
Desmodesmus subspicatus	72h	EC50: > 55,9 mg/l (Growth rate)	84/449/EEC C.3		
Americamysis bahia	48h	LC50: > 1,8 mg/l	EPA/600/4-90/027		
Pseudomonas putida	5 h	EC10: >1,934 g/l	Respiration inhibition		

Long term toxicity				
2,2'-Ethylenedioxydiethy	l bis(2-ethylhexanoa	te) (94-28-0)		
Туре	Species	Dose	Method	
Aquatic toxicity	Desmodesmus	NOEC: ~ 27,3 mg/l	84/449/EEC C.3	
	subspicatus	(3d) Cell number		

### 12.2. Persistence and degradability

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

#### **Biodegradation**

92 % (28 d), BOD, activated sludge (domestic), aerobic, Readily biodegradable.

Abiotic Degradation			
2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)			
Туре	Result	Method	
Hydrolysis	No data available		
Photolysis	No data available		

### 12.3. Bioaccumulative potential

2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)		
Туре	Result	Method
log Pow	6,1 @ 25 °C (77 °F)	measured, OECD 117

10 / 13

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



#### **OXSOFT 3G8**

**11260 Version / Revision** 8.01

BCF	No data available	

### 12.4. Mobility in soil

2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate) (94-28-0)			
Туре	Result	Method	
Surface tension	45,8 mN/m @ 20 °C (68 °F) @	OECD 115	
	1,375 mg/l		
Adsorption/Desorption	log Koc: 4,36	OECD 121	
Distribution to environmental	no data available		
compartments			

#### 12.5. Results of PBT and vPvB assessment

#### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

#### PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

### 12.6. Endocrine disrupting properties

The substance has not been identified as having endocrine disrupting properties in accordance with section 2.3.

#### 12.7. Other adverse effects

### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

No data available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Product Information**

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

#### Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

# SECTION 14: Transport information

### Section 14.1 - 14.6

ADR/RID Not restricted

ADN: Container and Tanker
Not restricted

11 / 13 Great Britain (E-GB) /EN

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



**OXSOFT 3G8** 

**11260 Version / Revision** 8.01

ICAO-TI / IATA-DGR Not restricted

IMDG Not restricted

14.7. Maritime transport in bulk according not applicable

to IMO instruments

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulation 1272/2008, Annex VI

not listed

#### DI 2012/18/EU (Seveso III)

**Category** not subject

DI 1999/13/EC (VOC Guideline)

Component	Status
2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate)	not subject
CAS: 94-28-0	

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 No. 758

Component	Status
2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate)	The substance will not be pre-registered
CAS: 94-28-0	

For details and further information please refer to the original regulation.

### **International Inventories**

#### 2,2'-Ethylenedioxydiethyl bis(2-ethylhexanoate), CAS: 94-28-0

AICS (AU)
DSL (CA)
IECSC (CN)
EC-No. 2023192 (EU)
ENCS (2)-658 (JP)
ISHL (2)-658 (JP)
KECI KE-13751 (KR)
PICCS (PH)
TSCA (US)
NZIoC-NZ with note

**National regulatory information Great Britain** 

### **Releases to air (Pollution Inventory Substances)**

not subject

TCSI (TW)

according to REACH Regulation (EC) No. 1907/2006, as amended by UK REACH Regulations SI 2019/758



OXSOFT 3G8 11260

Version / Revision

8.01

# Releases to water (Pollution Inventory Substances)

not subject

#### Releases to sewer (Pollution Inventory Substances)

not subject

For details and further information please refer to the original regulation

### 15.2. Chemical safety assessment

The Chemical Safety Report (CSR) has been generated. As this product is not hazardous under REACh, no Exposure Scenarios have been calculated.

### SECTION 16: Other information

#### **Abbreviations**

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information\_requirements\_r20\_en.pdf

#### Training advice

For effective first-aid, special training / education is needed.

#### Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

#### Further information for the safety data sheet

Changes against the previous version are marked by \*\*\*. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.oq.com).

The annex is not required because the substance is not hazardous under REACh

#### **Disclaimer**

**For industrial use only.** The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ Chemicals makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

**End of Safety Data Sheet**