

2-Ethylhexanoic acid

10040

Version / Revision6.01Revision Date25-Jan-2022Supersedes Version6.00***Issuing date25-Jan-2022

SECTION 1: Identification

1.1. Product identifier

Identification of the substance/preparation

2-Ethylhexanoic acid

CAS-No 149-57-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance /

Preparation

Intermediate

Uses advised against

Consumer uses

To avoid exposure of consumers

1.3. Details of the supplier of the safety data sheet

Supplier OQ Chemicals Corporation

15375 Memorial Drive West Memorial Place I

Suite 300

Houston, TX 77079

USA

Phone +1 346 378 7300

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number NCEC +1 202 464 2554

available 24/7

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This substance is classified in accordance with paragraph (d) of §1910.1200 (GHS-US classification).

Reproductive toxicity Category 2, H361 Environmental hazard Aquatic Acute 3; H402

OSHA Specified Hazards Not applicable.

Emergency telephone number 1 / 14



6.01

2-Ethylhexanoic acid 10040

2.2. Label elements

Labeling according to §1910.1200 (GHS-US labeling).

Hazard symbol(s)



Signal word Warning

Hazard statements H361: Suspected of damaging fertility or the unborn child.

H402: Harmful to aquatic life

Precautionary statements

Prevention P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

Version / Revision

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response P308 + P313: IF exposed or concerned: Get medical advice/ attention.

Storage P405: Store locked up.

Disposal P501: Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

Components of the product may be absorbed into the body by inhalation, ingestion and through the skin

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	Concentration (%)
2-Ethylhexanoic acid	149-57-5	> 99,50

SECTION 4: First aid measures

4.1. Description of first aid measures

Emergency telephone number 2 / 14



6.01

2-Ethylhexanoic acid 10040

Version / Revision

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

None known.

Special hazard

Lung irritation, Lung oedema, Kidney disorders, respiratory disorder.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically. If ingested, flush stomach and compensate acidosis.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons Vapours are heavier than air and may spread along floors

5.3. Advice for firefighters

Emergency telephone number 3 / 14



6.01

2-Ethylhexanoic acid 10040

Version / Revision

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/or exhaust in work rooms.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

Emergency telephone number 4 / 14



6.01

2-Ethylhexanoic acid 10040

Version / Revision

See Section 8: Environmental exposure controls.

Incompatible products

bases amines strong oxidizing agents

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care. Recommended storage temperature: =< 38 °C / =< 100 °F.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits United States of America

US ACGIH

Component	TWA (mg/m³)	TWA (ppm)	STEL (mg/m³)	STEL (ppm)
2-Ethylhexanoic acid CAS: 149-57-5	5 Inhalable fraction and			
	vapor.			

Note

For details and further information please refer to the original regulation.

8.2. Exposure controls

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Individual protection measures, such as personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.

Hygiene measures

Emergency telephone number 5 / 14



6.01

2-Ethylhexanoic acid 10040

Version / Revision

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material nitrile rubber

Evaluation according to EN 374: level 6

Glove thickness approx 0,55 mm Break through time > 480 min

Suitable material polyvinylchloride

Evaluation Information derived from practical experience

Glove thickness approx 0.8 mm

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Respiratory protection

Respirator with filter for organic vapour. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (vapor or mist). Equipment should conform to NIOSH.***

Environmental exposure controls

Use product only in closed system. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

AppearanceliquidColourcolourlessOdourmild

Odour threshold No data available

pH 3,75 (1 g/l in water @ 25 °C (77 °F)) DIN 19268

Melting point/range -117,4 °F (-83 °C) (Pour point)

Method DIN ISO 3016***

Boiling point/range 442,4 °F (228 °C) @ 1 atm (101,3 kPa)

Method OECD 103

Flash point 240,8 °F (116 °C) @ 1013 hPa Method closed cup, DIN EN ISO 2719***

Emergency telephone number 6 / 14



2-Ethylhexanoic acid

10040 **Version / Revision** 6.01

Evaporation rate No data available

Flammability (solid, gas) Does not apply, the substance is a liquid

Lower explosion limit 0.8 Vol % Upper explosion limit 6,7 Vol %

Vapour pressure

@ °C @ °F Values [hPa] Values [kPa] Values [atm] Method

0.04 0.004 < 0.001 20 68 4.3 0.43 0.004 50 122

Vapour density 5,0 (Air = 1) @ 20 °C (68 °F)

Relative density

@ °C Values @ °F Method 0.9067 20 68 DIN 51757 Solubility 1,5 g/l @ 20 °C (68 °F), in water, OECD 105 log Pow 2,7 @25 °C (77 °F), pH 4,7 OECD 107 3,0 @25°C (77 °F), pH 3,0 OECD 117***

Autoignition temperature 743 °F (395 °C) @ 1014 hPa***

DIN 51794 Method

Decomposition temperature No data available

7,625 mPa*s @ 68 °F (20 °C) **Viscosity**

Method dynamic, ASTM D445

9.2. Other information

Molecular weight 144.21 Molecular formula C8 H16 O2

log Koc ≤ 2,15 at ambient temperature OECD 106*** pKa 4,9 @ 21 °C (69 °F) OECD 112*** **Dissociation constant**

Does not apply, substance is not oxidising. There are no chemical groups Oxidizing properties

associated with oxidizing properties

Refractive Index 1,425 @ 68 °F (20 °C)

Does not apply, substance is not explosive. There are no chemical groups **Explosive properties**

associated with explosive properties

43,2 mN/m @ 20 °C (68 °F), OECD 115*** **Surface tension**

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions



6.01

2-Ethylhexanoic acid 10040

Version / Revision

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials

bases, amines, strong oxidizing agents.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact

2-Ethylhexanoic acid, CAS: 149-57-5

Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:

STOT SE

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Acute toxicity				
2-Ethylhexanoic acid (149-57-5)				
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	2043 mg/kg	rat, female	OECD 401
Dermal	LD50	> 2000 mg/kg	rat, male/female	OECD 402
Inhalative	LC0	0,11 mg/l (8 h)	rat, male/female***	OECD 403

2-Ethylhexanoic acid, CAS: 149-57-5

Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity Acute dermal toxicity

Acute inhalation toxicity

Irritation and corrosion					
2-Ethylhexanoic acid (149-57-5)					
Target Organ Effects	Species	Result	Method		
Skin	rabbit	Mild skin irritation	OECD 404	4h***	
Eyes	rabbit	No eye irritation***	OECD 405	24h	



2-Ethylhexanoic acid 10040

Version / Revision

6.01

2-Ethylhexanoic acid, CAS: 149-57-5

Assessment

Based on available data, the classification criteria are not met for:

skin irritation/corrosion

eye irritation/corrosion

For respiratory irritation, no data are available

Sensitization				
2-Ethylhexanoic acid (1	49-57-5)			
Target Organ Effects	Species	Evaluation	Method	
Skin	guinea pig	not sensitizing	OECD 406	2 %, aqueous solution***

2-Ethylhexanoic acid, CAS: 149-57-5

Assessment

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic and	Subacute, subchronic and prolonged toxicity					
2-Ethylhexanoic acid (149-	57-5)					
Туре	Dose	Species	Method			
Subchronic toxicity	NOAEL: ~ 200 mg/kg/d (90d)	mouse, male/female	EPA OTS 795.2600	Oral		
Subchronic toxicity	NOAEL: ~300 mg/kg/d (90d)	rat, male/female	EPA OTS 795.2600	Oral***		
Subacute toxicity***	NOAEL: 200 mg/kg/d (15d)***	rat, male/female***	OECD 407***	Oral***		

2-Ethylhexanoic acid, CAS: 149-57-5

Assessment

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity, Mutag	Carcinogenicity, Mutagenicity, Reproductive toxicity				
2-Ethylhexanoic acid (149-57-5)					
Туре	Dose	Species	Evaluation	Method	
Developmental Toxicity	NOAEL 25	rabbit		EPA OTS	Maternal toxicity
	mg/kg/d			798.4900	
Developmental Toxicity	NOAEL 250	rabbit		EPA OTS	Developmental
	mg/kg/d			798.4900	toxicity
Developmental Toxicity	NOAEL >250	rat		EPA OTS	Maternal toxicity
	mg/kg/d			798.4900	
Developmental Toxicity	NOAEL 100	rat		EPA OTS	Developmental
	mg/kg/d			798.4900	toxicity
Reproductive toxicity	NOAEL 250	rat, parental		Oral OECD 443	
	mg/kg/d	_			
Reproductive toxicity	NOAEL 800	rat, 1. Generation,		Oral OECD 443	



2-Ethylhexanoic acid 10040

Version / Revision

6.01

	mg/kg/d	male/female			
Mutagenicity		CHO (Chinese	negative	OECD 476	In vitro study
		Hamster Ovary)		(Mammalian	
		cells		Gene Mutation)	
Mutagenicity		mouse lymphoma	negative	OECD 476	
		cells		(Mammalian	
				Gene Mutation)	
Mutagenicity		Salmonella	negative	OECD 471	In vitro study
		typhimurium		(Ames)	
Mutagenicity		rat lymphocytes	negative	OECD 473	In vitro study
				(Chromosomal	
				Aberration)	
Mutagenicity		mouse	negative	OECD 474	Oral micronucleus
-		male/female			test

2-Ethylhexanoic acid, CAS: 149-57-5

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Directive 1272/2008/EC, Annex VI: Repr. 2

Evaluation

In vitro tests showed mutagenic effects

Did not show carcinogenic effects in animal experiments

No indication for a carcinogenic potential

2-Ethylhexanoic acid, CAS: 149-57-5

Aspiration toxicity

no data available

Other adverse effects

Components of the product may be absorbed into the body by inhalation, ingestion and through the skin.

Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity			
2-Ethylhexanoic acid (149-57-	5)		
Species	Exposure time	Dose	Method
Oryzias latipes (Medaka)	96h	LC50: > 100 mg/l	OECD 203 read across***
Daphnia magna (Water flea)	48h	EC50: 85,4 mg/l	79/831/EEC.C2
Desmodesmus subspicatus	72h	EC50: 49,3 mg/l (Growth rate)***	DIN 38412, part 9
Pseudomonas putida	17 h	EC50: 112,1 mg/l (Growth inhibition)	DIN 38412, part 8



2-Ethylhexanoic acid 10040

0040 Version / Revision 6.01

Oncorhynchus mykiss (rainbow	96h***	LC50: 180 mg/l***	OECD 203***
trout)***		-	

Long term toxicity				
2-Ethylhexanoic acid (149	9-57-5)			
Туре	Species	Dose	Method	
Reproductive toxicity	Daphnia magna (Water flea)	LC50: 25 mg/l/21d***	OECD 211	
Reproductive toxicity***	Daphnia magna (Water flea)***	NOEC: 18 mg/l***	OECD 211***	read across***
Aquatic toxicity***	Desmodesmus subspicatus***	EC10: 32 mg/l (72 h)***	DIN 38412 / part 9***	
Aquatic toxicity***	Pseudokirchneriella subcapitata***	NOEC: 130 mg/l (3d) Growth rate***	OECD 201***	read across***

12.2. Persistence and degradability

2-Ethylhexanoic acid, CAS: 149-57-5

Biodegradation

99 % (28 d), Sewage, domestic, aerobic, OECD 301 E.

Abiotic Degradation			
2-Ethylhexanoic acid (149-57-5)			
Туре	Result	Method	
Photolysis	Half-life (DT50): 47,1 h	calculated	
Hydrolysis	not expected		

12.3. Bioaccumulative potential

2-Ethylhexanoic acid (149-57-5)		
Туре	Result	Method
log Pow	3,0 @ 25 °C (77 °F)***	measured, OECD 107

12.4. Mobility in soil

2-Ethylhexanoic acid (149-57-5)			
Туре	Result	Method	
Adsorption/Desorption	Koc: ≤ 140,87 at ambient temperature***	OECD 106	
Surface tension	Surface activity not expected 43,2 mN/m @ 20 °C (68 °F)***	OECD 115***	
Distribution to environmental compartments	Air: 0,93 Soil: 3,64 Water: 91,7 Sediment: 11,2***	Calculation according Mackay, Level I***	

12.5. Results of PBT and vPvB assessment



2-Ethylhexanoic acid 10040

Version / Revision

6.01

2-Ethylhexanoic acid, CAS: 149-57-5

PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

12.6. Other adverse effects

2-Ethylhexanoic acid, CAS: 149-57-5

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

SECTION 14: Transport information

Section 14.1 - 14.6

D.O.T. (49CFR) Not restricted

ICAO-TI / IATA-DGR Not restricted

IMDG Not restricted

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Product name 2-Ethylhexanoic acid

Ship type 3
Pollution category Y

SECTION 15: Regulatory information

Emergency telephone number 12 / 14



6.01

2-Ethylhexanoic acid 10040

Version / Revision

Federal and State Regulations

Components of the product are listed in the quoted regulations. For details please refer to the regulations directly. This list is not exhaustive, please check for other applicable regulations.

Federal Regulations

This product is listed on the TSCA inventory

International Inventories

2-Ethylhexanoic acid, CAS: 149-57-5

AICS (AU) DSL (CA)

IECSC (CN)

EC-No. 2057436 (EU) ENCS (2)-608 (JP) ISHL (2)-608 (JP)

KECI KE-13740 (KR)

INSQ (MX)

PICCS (PH)

TSCA (US)

NZIoC (NZ)

TCSI (TW)

SECTION 16: Other information

Revision Date 25-Jan-2022 Issuing date 25-Jan-2022

Hazard Rating Systems

NFPA (National Fire Protection Association)

Health Hazard 1
Fire Hazard 1
Reactivity 0

HMIS (Hazardous Material Information System)

Health Hazard 1
Flammability 1
Physical Hazard 0

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates,

Emergency telephone number 13 / 14



2-Ethylhexanoic acid 10040

Version / Revision

6.01

that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.og.com).

The use of a comma in section 3 and section 7 to 12 is the same as a period.

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet