

OXLUBE L9-TMP

11660

Version / Revision1Revision Date09-May-2023Supersedes Version-Issuing date09-May-2023

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1. Product identifier

Identification of the substance/preparation OXLUBE L9-TMP

Chemical Name 2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate

CAS-No 126-57-8 **EC No.** 204-793-6

Registration number (REACh) 01-2120075160-67

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubricants and lubricant additives

Cosmetic ingredient

Uses advised against None

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification

OQ Chemicals GmbH Rheinpromenade 4A D-40789 Monheim

Germany

Product Information Product Stewardship

FAX: +49 (0)208 693 2053 email: sc.psq@oq.com

1.4. Emergency telephone number

Emergency telephone number +65 3158 1198 (available 24/7)

000800 100 7479 (for domestic shipments only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Based on present data no classification and labelling is required according to Directive 1272/2008/EC and its amendments (CLP Regulation)

2.2. Label elements

Not required.

2.3. Other hazards

None known



11660 OXLUBE L9-TMP Revision Date Version / Revision 09-May-2023

ision 1/

PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition / information on ingredients

3.1. Substances

Component	CAS-No	REACh-No	1272/2008/EC	Concentration (%)
2-Ethyl-2-[[(1-oxononyl)oxy]	126-57-8	01-2120075160-67	=	> 85
methyl]propane-1,3-diyl				
dinonan-1-oate				

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Keep at rest. Aerate with fresh air. When symptoms persist or in all cases of doubt seek medical advice.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

Skin

Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice.

Ingestion

Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Main symptoms

None known.

Special hazard

None known.

4.3. Indication of any immediate medical attention and special treatment needed

General advice

Remove contaminated, soaked clothing immediately and dispose of safely. First aider needs to protect himself.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

foam, dry chemical, carbon dioxide (CO2), water spray

Unsuitable Extinguishing Media



11660 OXLUBE L9-TMP Revision Date Version / Revision 09-May-2023

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Under conditions giving incomplete combustion, hazardous gases produced may consist of: carbon monoxide (CO)

carbon dioxide (CO2)

Combustion gases of organic materials must in principle be graded as inhalation poisons Vapours are heavier than air and may spread along floors

5.3. Advice for firefighters

Special protective equipment for firefighters

Fire fighter protection should include a self-contained breathing apparatus (NIOSH-approved or EN 133) and full fire-fighting turn out gear.

Precautions for firefighting

Cool containers / tanks with water spray. Dike and collect water used to fight fire. Keep people away from and upwind of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: For personal protective equipment see section 8. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep people away from and upwind of spill/leak. Ensure adequate ventilation, especially in confined areas. Keep away from heat and sources of ignition. For emergency responders: Personal protection see section 8.

6.2. Environmental precautions

Prevent further leakage or spillage. Do not discharge product into the aquatic environment without pretreatment (biological treatment plant).

6.3. Methods and material for containment and cleaning up

Methods for containment

Stop the flow of material, if possible without risk. Dike spilled material, where this is possible.

Methods for cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum. Dispose of in accordance with local regulations. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).

6.4. Reference to other sections

For personal protective equipment see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.



11660 OXLUBE L9-TMP Revision Date Version / Revision 09-May-2023

Version / INEVISION

Provide sufficient air exchange and/or exhaust in work rooms.

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Advice on the protection of the environment

See Section 8: Environmental exposure controls.

Incompatible products

strong oxidizing agents reducing agents strong acids bases

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). In case of fire, emergency cooling with water spray should be available. Ground and bond containers when transferring material.

Technical measures/Storage conditions

Keep containers tightly closed in a cool, well-ventilated place. Handle and open container with care.

Temperature class

T2

7.3. Specific end use(s)

Lubricants and lubricant additives Cosmetic ingredient

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Exposure limits India

No exposure limits established.

8.2. Exposure controls

Appropriate Engineering controls

General or dilution ventilation is frequently insufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Explosion-proof equipment (for example fans, switches, and grounded ducts) should be used in mechanical ventilation systems.

Personal protective equipment

General industrial hygiene practice

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure that eyewash stations and safety showers are close to the workstation location.



Revision Date 09-May-2023 11660 **OXLUBE L9-TMP Version / Revision**

Hygiene measures

When using, do not eat, drink or smoke. Take off all contaminated clothing immediately. Wash hands before breaks and immediately after handling the product.

Respiratory protection

Respirator with A filter. Full mask with above mentioned filter according to producers using requirements or self-contained breathing apparatus. Equipment should conform to EN 136 or EN 140 and EN 143.

Hand protection

Wear protective gloves. Recommendations are listed below. Other protective material may be used, depending on the situation, if adequate degradation and permeation data is available. If other chemicals are used in conjunction with this chemical, material selection should be based on protection for all chemicals present.

Suitable material nitrile rubber

Reference substance Di-(2-ethylhexyl)-phthalate **Evaluation** according to EN 374: level 6

approx 0,55 mm Glove thickness

> 480 min Break through time

Suitable material polyvinylchloride / nitrile rubber Reference substance Di-(2-ethylhexyl)-phthalate according to EN 374: level 6 **Evaluation**

Glove thickness approx 0,9 mm > 480 min Break through time

Eye protection

Tightly fitting safety goggles. In addition to goggles, wear a face shield if there is a reasonable chance for splash to the face.

Equipment should conform to EN 166

Skin and body protection

Impervious clothing. Wear face-shield and protective suit for abnormal processing problems.

Environmental exposure controls

If possible use in closed systems. If leakage can not be prevented, the substance needs to be suck off at the emersion point, if possible without danger. Observe the exposure limits, clean exhaust air if needed. If recycling is not practicable, dispose of in compliance with local regulations. Inform the responsible authorities in case of leakage into the atmosphere, or of entry into waterways, soil or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

195,5 °C

Appearance liquid Colour light yellow Odour weak

Odour threshold No data available No data available

-19,9 °C (Freezing Point) Melting point/freezing point -48 °C (Pour point)

Boiling point or initial boiling

point and boiling range

Flash point 208 °C @ 1000 hPa closed cup, EN ISO 3680 Method

Evaporation rate No data available



11660 Revision Date 09-May-2023 OXLUBE L9-TMP Version / Revision 1

Flammability (solid, gas) not flammable
Lower explosion limit No data available
Upper explosion limit No data available

Vapour pressure

Values [kPa] Values [atm] @ °C @ °F Method Values [hPa] 0.00000028 0.0000028 <0,001 20 68 **OECD 104** 0.00011 0.000011 < 0.001 100 212 **OECD 104**

Relative vapour density No data available

Density and/or relative density

n-octanol/water (log value)

Autoignition temperature 389 °C @ 1010 hPa

Method ASTM E 659

Decomposition temperature Viscosity 46,07 mm²/s @ 20°C kinematic, EN ISO 3104

Oxidizing properties Does not apply, substance is not oxidising. There are no chemical groups

associated with oxidizing properties

Explosive propertiesDoes not apply, substance is not explosive. There are no chemical groups

associated with explosive properties

9.2. Other information

Molecular weight554,85Molecular formulaC33 H62 O6log Koc7,68 calculatedRefractive index1,454 @ 20 °C

Surface tension 29,6 mN/m @ 20 °C, ISO 304

SECTION 10: Stability and Reactivity

10.1. Reactivity

The reactivity of the product corresponds to the typical reactivity shown by the substance group as described in any text book on organic chemistry.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Avoid contact with heat, sparks, open flame and static discharge. Avoid any source of ignition.

10.5. Incompatible materials



11660 **OXLUBE L9-TMP** **Revision Date Version / Revision** 09-May-2023

strong oxidizing agents, reducing agents, strong acids, bases.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure Ingestion, Inhalation, Eye contact, Skin contact

Acute toxicity				
2-Ethyl-2-[[(1-oxononyl)o	xy]methyl]propane-1	,3-diyl dinonan-1-oa	te (126-57-8)	
Routes of Exposure	Endpoint	Values	Species	Method
Oral	LD50	> 2000 mg/kg	rat, female	OECD 423
Dermal	LD50	> 2000 mg/kg	rat, male/female	OECD 402

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

Assessment

Based on available data, the classification criteria are not met for:

Acute oral toxicity

Acute dermal toxicity

STOT SE

For acute inhalation toxicity, a study is scientifically unjustified

Irritation and corrosion						
2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate (126-57-8)						
Target Organ Effects	Species	Result	Method			
Skin	human skin model	No skin irritation	OECD 431	in vitro		
Eyes	rabbit	No eye irritation	OECD 405	in vitro		

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

Assessment

Based on available data, the classification criteria are not met for:

skin irritation/corrosion

eye irritation/corrosion

For skin irritation, no data are available

Sensitization					
2-Ethyl-2-[[(1-oxononyl	oxy]methyl]propane-	1,3-diyl dinonan-1	-oate (126-57-8)		
Target Organ Effects	Species	Evaluation	Method		
Skin	guinea pig female	not sensitizing	OECD 406		

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

Assessment

Based on available data, the classification criteria are not met for:

Skin sensitization

For respiratory sensitization, no data are available

Subacute, subchronic and prolonged toxicity	
2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate (126-57-8)	



11660 OXLUBE L9-TMP Revision Date Version / Revision

09-May-2023

ion / Revision 1

Туре	Dose	Species	Method	
Subacute toxicity	NOAEL: 1000 mg/kg/d	rat, male/female	OECD 422 Oral	

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

Assessment

Based on available data, the classification criteria are not met for:

STOT RE

Carcinogenicity, Muta	Carcinogenicity, Mutagenicity, Reproductive toxicity					
	2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate (126-57-8)					
Туре	Dose	Species	Evaluation	Method		
Mutagenicity		Salmonella typhimurium Escherichia coli	negative	OECD 471 (Ames)	In vitro study	
Mutagenicity		human lymphocytes	negative	OECD 487	In vitro study	
Mutagenicity		mouse lymphoma cells	negative	OECD 476 (Mammalian Gene Mutation)	In vitro study	
, ,	NOAEL > 1000 mg/kg/d	rat, parental rat, 1. Generation, male/female		OECD 422, Oral		
Developmental Toxicity	NOAEL > 2000 mg/kg/d	rat		OECD 414, Dermal	Developmental toxicity read across	
Developmental Toxicity	NOAEL 2000 mg/kg/d	rat		OECD 414, Dermal	Maternal toxicity read across	

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

CMR Classification

The available data on CMR properties are summarized in the table above. They do not indicate a classification into categories 1A or 1B

Evaluation

In vitro tests did not show mutagenic effects

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

Target Organ Systemic Toxicant - Single exposure

Based on available data, the classification criteria are not met for:

STOT SE

Target Organ Systemic Toxicant - Repeated exposure

Based on available data, the classification criteria are not met for:

STOT RE

Aspiration toxicity

no data available

Note

Handle in accordance with good industrial hygiene and safety practice. Further details on substance data can be found in the registration dossier under the following link:

http://echa.europa.eu/information-on-chemicals/registered-substances.

SECTION 12: Ecological information

12.1. Toxicity



11660 **OXLUBE L9-TMP** **Revision Date** Version / Revision 09-May-2023

Acute aquatic toxicity						
2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate (126-57-8)						
Species	Exposure time	Dose	Method			
Danio rerio (Zebra fish)	96h	LC50: > 124 mg/l	OECD 203			
Daphnia magna (Water flea)	48h	EC50: > 9,3 mg/l	OECD 202			
Desmodesmus subspicatus	72h	EC50: > 4,4 mg/l (Growth	OECD 201			
·		rate)				

Long term toxicity	Long term toxicity					
2-Ethyl-2-[[(1-oxononyl)	oxy]methyl]propane-	1,3-diyl dinonan-1-oa	nte (126-57-8)			
Туре	Species	Dose	Method			
Aquatic toxicity	Danio rerio (Zebra fish)	NOEC: ≥ 0,00006 mg/l (34d)	OECD 210			
Reproductive toxicity	Daphnia magna (Water flea)	NOEC: ≥ 0,00016 mg/l (21d)	OECD 211			
Aquatic toxicity	Desmodesmus subspicatus	LC50: > 4,4 mg/l/3d	OECD 201			

12.2. Persistence and degradability

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8 Biodegradation

75,98 % (28 d), OECD 301 B, activated sludge (domestic), adapted, aerobic.

Abiotic Degradation				
2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate (126-57-8)				
Туре	Result	Method		
Hydrolysis	The Substance is highly insoluble			
	in water			
Photolysis	No data available			

12.3. Bioaccumulative potential

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate (126-57-8)				
Туре	Result	Method		
log Pow	> 6,2 @ 25 °C (77 °F)	measured, OECD 117		
BCF	41,6 l/kg	QSAR		

12.4. Mobility in soil

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate (126-57-8)			
Type	Result	Method	
Surface tension	29,6 mN/m @ 20 °C (68 °F)	ISO 304	
Adsorption/Desorption	log Koc: 7,68	calculated	
Distribution to environmental	no data available		
compartments			

12.5. Results of PBT and vPvB assessment



11660 OXLUBE L9-TMP Revision Date Version / Revision

09-May-2023

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT), nor very persistent nor very bioaccumulating (vPvB)

12.6. Other adverse effects

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Information

Disposal required in compliance with all waste management related state and local regulations. The choice of the appropriate method of disposal depends on the product composition by the time of disposal as well as the local statutes and possibilities for disposal.

Uncleaned empty packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

SECTION 14: Transport information

Section 14.1 - 14.6

ICAO-TI / IATA-DGR

Not restricted

IMDG

Not restricted

14.7. Transport in bulk according to Annex not applicable

II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation 1272/2008, Annex VI

not listed

International Inventories

2-Ethyl-2-[[(1-oxononyl)oxy]methyl]propane-1,3-diyl dinonan-1-oate, CAS: 126-57-8

AICS (AU) DSL (CA) IECSC (CN) EC-No. 2047936 (EU)



11660 OXLUBE L9-TMP Revision Date Version / Revision 09-May-2023

ENCS (2)-2491 (JP) ISHL (2)-2491 (JP) KECI KE-26174 (KR) PICCS (PH) TSCA (US) NZIoC-NZ with note TCSI (TW)

National regulatory information India

Hazardous Chemicals, Schedule 2: Threshold Quantities at an Isolated Storage not listed

Hazardous Chemicals, Schedule 3: Threshold Quantities in an Industrial Installation not listed

For details and further information please refer to the original regulation.

SECTION 16: Other information

Abbreviations

A table of terms and abbreviations can be found under the following link: http://echa.europa.eu/documents/10162/13632/information_requirements_r20_en.pdf

Training advice

For effective first-aid, special training / education is needed.

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on OQ owned data and public sources deemed valid or acceptable. The absence of data elements required by OSHA, ANSI or Annex II, Regulation 1907/2006/EC indicates, that no data meeting these requirements is available.

Further information for the safety data sheet

Changes against the previous version are marked by ***. Observe national and local legal requirements. For more information, other material safety data sheets or technical data sheets please consult the OQ homepage (www.chemicals.og.com).

The annex is not required because the substance is not hazardous under REACh

Disclaimer

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. OQ Chemicals makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.

End of Safety Data Sheet